IN THE CLAIMS

This is a complete and current listing of the claims, marked with status identifiers in parentheses. The following listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A method of storing printed products in one or more layers, the method comprising:

_ c h a r a c t e r i s e d in that storing the printed products are stored on at least one substantially circular conveyor track (1),;

in that supplying the printed products are supplied to
the conveyor track (1) at least at one point in the track(1),; and

discharging in that the lowermost layer is discharged from the conveyor track (1) through an opening (2) in the track (1), and in that the supplying and discharging of products are being independent of each other.

- 2. (Currently Amended) A method as claimed in any one of the preceding claims claim 1, wherein, e h a r a c t e r i s e d in that printed products are supplied to the track while at the same time printed products are discharged from the track (1) at the opening (2).
- 3. (Currently Amended) An installation for storing one or more layers of printed products, comprising:

-one or more conveyor tracks (1),

e h a r a c t e r i s e d in that the printed products are_

being stored on a substantially circular conveyor track (1),

said track (1) being provided with at least one opening (2)

for discharge of the lowermost layer, in that the conveyor

track (1) comprisinges means (3) for guiding the lowermost

layer away from the track (1) through the opening (2), and in

New PCT National Phase Application Docket No. 10400-000229/US

that the the -supplying and the discharging of products are being independent of each other.

- 4. (Currently Amended) An installation as claimed in claim 3, e h a r a e t e r i s e d in that where in the means (3), for guiding, when in a first position, bridges the opening (2), whereby the conveyor track (1) is continuous and the lowermost layer of products is held on the track (1), that wherein the means for guiding(3), when in a second position, is raised, whereby the track (1) is discontinuous and the lowermost layer of printed products is discharged away from the track (1) through the opening (2).
- 5. (Currently Amended) An installation as claimed in claim 3-4, e h a r a e t e r i s e d in that wherein said means for guiding(3) is a flap which is movably arranged in the opening-(2).
- 6. (Currently Amended) An installation as claimed in any one of claims 3-5, wherein -c h a r a c t e r i s e d in that said track (1) is arranged with at least one edging adapted to hold the printed products on the track—(1).
- 7. (Currently Amended) An installation as claimed in claim 3 any one of claims 3 6, character is ed in that wherein two or more tracks (1) are arranged concentrically.
- 8. (Currently Amended) An installation as claimed in any one of claims 3-7, -c h a r a c t e r i s e d w h e r e i n in that at least one or more tracks (1) are arranged above a first track (1).
- 9. (Currently Amended) An installation as claimed in claim 7—or 8, —wherein e h a r a e t e r i s e d—in that the tracks (1)—operate independently of each other.

New PCT National Phase Application Docket No. 10400-000229/US

- 10. (New) An installation as claimed in claim 4, wherein said means for guiding is a flap which is movably arranged in the opening.
- 11. (New) An installation as claimed in claim 4, wherein said track is arranged with at least one edging adapted to hold the printed products on the track.
- 12. (New) An installation as claimed in claim 5, wherein said track is arranged with at least one edging adapted to hold the printed products on the track.
- 13. (New) An installation as claimed in claim 4, wherein two or more tracks are arranged concentrically.
- 14. (New) An installation as claimed in claim 5, wherein two or more tracks are arranged concentrically.
- 15. (New) An installation as claimed in claim 6, wherein two or more tracks are arranged concentrically.
- 16. (New) An installation as claimed in claim 4, wherein at least one or more tracks are arranged above a first track.
- 17. (New) An installation as claimed in claim 5, wherein at least one or more tracks are arranged above a first track.
- 18. (New) An installation as claimed in claim 6, wherein at least one or more tracks are arranged above a first track.
- 19. (New) An installation as claimed in claim 7, wherein at least one or more tracks are arranged above a first track.
- 20. (New) An installation as claimed in claim 8, wherein the tracks operate independently of each other.